

APPENDIX A. AIR QUALITY MODELING RESULTS

Road Construction Emissions Model		Version 8.1.0		
Data Entry Worksheet				
<p>Note: Required data input sections have a yellow background. Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. The user is required to enter information in cells D10 through D24, E28 through G35, and D38 through D41 for all project types. Please use "Clear Data Input & User Overrides" button first before changing the Project Type or begin a new project.</p>				
Input Type				
Project Name	Sac River S/S Contract 2: 2021 Berms and Relief Wells			
Construction Start Year	2021	Enter a Year between 2014 and 2025 (inclusive)		
Project Type	4	1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction		
Project Construction Time	4.00	months		
Working Days per Month	22.00	days (assume 22 if unknown)		
Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)	2	1) Sand Gravel : Use for quaternary deposits (Delta/West County) 2) Weathered Rock-Earth : Use for Laguna formation (Jackson Highway area) or the lone formation (Scott Road, Rancho Murieta) 3) Blasted Rock : Use for Salt Springs Slate or Copper Hill Volcanics (Folsom South of Highway 50, Rancho Murieta)		
Project Length	0.25	miles		
Total Project Area	3.00	acres		
Maximum Area Disturbed/Day	3.00	acres		
Water Trucks Used?	1	1. Yes 2. No		
<div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Please note that the soil type instructions provided in cells E18 to E20 are specific to Sacramento County. Maps available from the California Geologic Survey (see weblink below) can be used to determine soil type outside Sacramento County.</p> <p>http://www.conservation.ca.gov/cgs/information/geologic_mapping/Pages/googlemaps.aspx#regionalseries</p> </div>				
Material Hauling Quantity Input				
Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)	Export Volume (yd ³ /day)
Soil	Grubbing/Land Clearing			
	Grading/Excavation	15.00	272.00	71.00
	Drainage/Utilities/Sub-Grade			
	Paving			
Asphalt	Grubbing/Land Clearing			
	Grading/Excavation			
	Drainage/Utilities/Sub-Grade			
	Paving			
Mitigation Options				
On-road Fleet Emissions Mitigation	No Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer		
Off-road Equipment Emissions Mitigation	No Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard		

The remaining sections of this sheet contain areas that require modification when 'Other Project Type' is selected.

Note: The program's estimates of construction period phase length can be overridden in cells D50 through D53, and F50 through F53.

Construction Periods	User Override of Construction Months	Calculated Months	User Override of Phase Starting Date	Program Default Phase Starting Date
Grubbing/Land Clearing	0.00	0.40	8/1/2020	1/1/2021
Grading/Excavation	4.00	1.80	5/30/2021	1/1/2021
Drainage/Utilities/Sub-Grade	0.00	1.20	9/22/2020	5/3/2021
Paving	0.00	0.60	10/30/2020	5/3/2021
Totals (Months)		4		

Note: Soil Hauling emission default values can be overridden in cells D61 through D64, and F61 through F64.

Soil Hauling Emissions		User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip	User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT					
User Input											
Miles/round trip: Grubbing/Land Clearing		0.00			0	0.00					
Miles/round trip: Grading/Excavation		34.00			23	782.00					
Miles/round trip: Drainage/Utilities/Sub-Grade					0	0.00					
Miles/round trip: Paving					0	0.00					
Emission Rates		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Grubbing/Land Clearing (grams/mile)		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation (grams/mile)		0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92
Drainage/Utilities/Sub-Grade (grams/mile)		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving (grams/mile)		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hauling Emissions		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Pounds per day - Grubbing/Land Clearing		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Grubbing/Land Clearing		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Grading/Excavation		0.18	0.75	6.28	0.20	0.09	0.03	2,783.42	0.01	0.09	2,811.74
Tons per const. Period - Grading/Excavation		0.01	0.03	0.28	0.01	0.00	0.00	122.47	0.00	0.00	123.72
Pounds per day - Drainage/Utilities/Sub-Grade		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Drainage/Utilities/Sub-Grade		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Paving		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Paving		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total tons per construction project		0.01	0.03	0.28	0.01	0.00	0.00	122.47	0.00	0.00	123.72

Note: Asphalt Hauling emission default values can be overridden in cells D87 through D90, and F87 through F90.

Asphalt Hauling Emissions		User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip	User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT				
User Input										
Miles/round trip: Grubbing/Land Clearing				0	0.00					
Miles/round trip: Grading/Excavation				0	0.00					
Miles/round trip: Drainage/Utilities/Sub-Grade				0	0.00					
Miles/round trip: Paving				0	0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Grubbing/Land Clearing (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation (grams/mile)	0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Note: Worker commute default values can be overridden in cells D113 through D118.

Worker Commute Emissions		User Override of Worker Commute Default Values	Default Values								
User Input											
Miles/one-way trip		20		Calculated Daily Trips		Calculated Daily VMT					
One-way trips/day		2									
No. of employees: Grubbing/Land Clearing		0		0		0.00					
No. of employees: Grading/Excavation		30		60		1,200.00					
No. of employees: Drainage/Utilities/Sub-Grade				0		0.00					
No. of employees: Paving				0		0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation (grams/mile)	0.02	0.99	0.10	0.05	0.02	0.00	360.03	0.01	0.00	361.48	
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grubbing/Land Clearing (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation (grams/trip)	0.93	2.28	0.18	0.00	0.00	0.00	81.88	0.01	0.01	84.35	
Draining/Utilities/Sub-Grade (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.17	2.92	0.29	0.12	0.05	0.01	963.31	0.02	0.01	967.47	
Tons per const. Period - Grading/Excavation	0.01	0.13	0.01	0.01	0.00	0.00	42.39	0.00	0.00	42.57	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.01	0.13	0.01	0.01	0.00	0.00	42.39	0.00	0.00	42.57	

Note: Water Truck default values can be overridden in cells D145 through D148, and F145 through F148.

Water Truck Emissions		User Override of Default # Water Trucks	Program Estimate of Number of Water Trucks	User Override of Truck Miles Traveled/Vehicle/Day	Default Values Miles Traveled/Vehicle/Day	Calculated Daily VMT					
User Input											
Grubbing/Land Clearing - Exhaust						0.00					
Grading/Excavation - Exhaust		1		40.00		40.00					
Drainage/Utilities/Subgrade						0.00					
Paving						0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation (grams/mile)	0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92	
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.01	0.04	0.32	0.01	0.00	0.00	142.37	0.00	0.00	143.82	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.01	0.00	0.00	0.00	6.26	0.00	0.00	6.33	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.01	0.00	0.00	0.00	6.26	0.00	0.00	6.33	

Note: Fugitive dust default values can be overridden in cells D171 through D173.

Fugitive Dust		User Override of Max Acreage Disturbed/Day	Default Maximum Acreage/Day	PM10 pounds/day	PM10 tons/per period	PM2.5 pounds/day	PM2.5 tons/per period
Fugitive Dust - Grubbing/Land Clearing				0.00	0.00	0.00	0.00
Fugitive Dust - Grading/Excavation				30.00	1.32	6.24	0.27
Fugitive Dust - Drainage/Utilities/Subgrade				0.00	0.00	0.00	0.00

Values in cells D183 through D216, D234 through D267, D285 through D318, and D336 through D369 are required when 'Other Project Type' is selected.

Off-Road Equipment Emissions														
Grubbing/Land Clearing		Default Number of Vehicles	Mitigation Option Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)	Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Override of Default Number of Vehicles	Program-estimate		Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
0.00			Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00			Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Number of Vehicles		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab			pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
0.00		Equipment Tier	Type	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Grubbing/Land Clearing			pounds per day	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Grubbing/Land Clearing			tons per phase	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Drainage/Utilities/Subgrade	Mitigation Option			Default										
	Default	Override of	Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
	Number of Vehicles	Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)	Equipment Tier	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	
	0.00		Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00		Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
User-Defined Off-road Equipment														
	Number of Vehicles		Equipment Tier	Type	ROG pounds/day	CO pounds/day	NOx pounds/day	PM10 pounds/day	PM2.5 pounds/day	SOx pounds/day	CO2 pounds/day	CH4 pounds/day	N2O pounds/day	CO2e pounds/day
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Drainage/Utilities/Sub-Grade		pounds per day	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Drainage/Utilities/Sub-Grade		tons per phase	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Paving	Default		Mitigation Option		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
	Number of Vehicles	Override of	Default	Type										
		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)												
Override of Default Number of Vehicles		Program-estimate	Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
	0.00		Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Bore/Dri! Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Number of Vehicles		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab			pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
	0.00		N/A	Type	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Paving			pounds per day	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Paving			tons per phase	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total Emissions all Phases (tons per construction period) =>					0.50	4.25	4.86	0.25	0.23	0.01	561.97	0.17	0.00	567.68

Equipment default values for horsepower and hours/day can be overridden in cells D391 through D424 and F391 through F424.

Equipment	User Override of Horsepower	Default Values Horsepower	User Override of Hours/day	Default Values Hours/day
Aerial Lifts		63	10.00	8
Air Compressors		78	10.00	8
Bore/Drill Rigs		206	10.00	8
Cement and Mortar Mixers		9	10.00	8
Concrete/Industrial Saws		81	10.00	8
Cranes		226	10.00	8
Crawler Tractors		208	10.00	8
Crushing/Proc. Equipment		85	10.00	8
Excavators		163	10.00	8
Forklifts		89	10.00	8
Generator Sets		84	10.00	8
Graders		175	10.00	8
Off-Highway Tractors		123	10.00	8
Off-Highway Trucks		400	10.00	8
Other Construction Equipment		172	10.00	8
Other General Industrial Equipment		88	10.00	8
Other Material Handling Equipment		167	10.00	8
Pavers		126	10.00	8
Paving Equipment		131	10.00	8
Plate Compactors		8	10.00	8
Pressure Washers		13	10.00	8
Pumps		84	10.00	8
Rollers		81	10.00	8
Rough Terrain Forklifts		100	10.00	8
Rubber Tired Dozers		255	10.00	8
Rubber Tired Loaders		200	10.00	8
Scrapers		362	10.00	8
Signal Boards		6	10.00	8
Skid Steer Loaders		65	10.00	8
Surfacing Equipment		254	10.00	8
Sweepers/Scrubbers		64	10.00	8
Tractors/Loaders/Backhoes		98	10.00	8
Trenchers		81	10.00	8
Welders		46	10.00	8

END OF DATA ENTRY SHEET

Daily Emission Estimates for -> Sac River S/S Contract 2: 2021 Berms and Relief Wells														
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	PM10 (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	PM2.5 (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation	11.65	100.30	117.40	36.08	6.08	30.00	11.70	5.46	6.24	0.17	16,661.23	3.87	0.22	16,824.81
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum (pounds/day)	11.65	100.30	117.40	36.08	6.08	30.00	11.70	5.46	6.24	0.17	16,661.23	3.87	0.22	16,824.81
Total (tons/construction project)	0.51	4.41	5.17	1.59	0.27	1.32	0.51	0.24	0.27	0.01	733.09	0.17	0.01	740.29
Notes: Project Start Year -> 2021														
Project Length (months) -> 4														
Total Project Area (acres) -> 3														
Maximum Area Disturbed/Day (acres) -> 3														
Water Truck Used? -> Yes														
Total Material Imported/Exported Volume (yd³/day)														
Daily VMT (miles/day)														
Phase	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck								
Grubbing/Land Clearing	0	0	0	0	0	0								
Grading/Excavation	343	0	782	0	1,200	40								
Drainage/Utilities/Sub-Grade	0	0	0	0	0	0								
Paving	0	0	0	0	0	0								
PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.														
Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.														
CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP). 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.														
Total Emission Estimates by Phase for -> Sac River S/S Contract 2: 2021 Berms and Relief Wells														
Project Phases (Tons for all except CO2e. Metric tonnes for CO2e)	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation	0.51	4.41	5.17	1.59	0.27	1.32	0.51	0.24	0.27	0.01	733.09	0.17	0.01	671.59
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum (tons/phase)	0.51	4.41	5.17	1.59	0.27	1.32	0.51	0.24	0.27	0.01	733.09	0.17	0.01	671.59
Total (tons/construction project)	0.51	4.41	5.17	1.59	0.27	1.32	0.51	0.24	0.27	0.01	733.09	0.17	0.01	671.59
PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.														
Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.														
CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP). 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.														
The CO2e emissions are reported as metric tons per phase.														

Daily Emission Estimates for -> Sac River S/S Contract 2: 2021 Berms and Relief Wells															
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	PM10 (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	Total (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)	
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation	11.58	100.19	113.38	36.05	6.05	30.00	11.67	5.43	6.24	0.17	16,561.68	3.86	0.22	16,723.34	
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Maximum (pounds/day)	11.58	100.19	113.38	36.05	6.05	30.00	11.67	5.43	6.24	0.17	16,561.68	3.86	0.22	16,723.34	
Total (tons/construction project)	0.51	4.41	4.99	1.59	0.27	1.32	0.51	0.24	0.27	0.01	728.71	0.17	0.01	735.83	
<div>Notes:</div> <div>Project Start Year -> 2021</div> <div>Project Length (months) -> 4</div> <div>Total Project Area (acres) -> 3</div> <div>Maximum Area Disturbed/Day (acres) -> 3</div> <div>Water Truck Used? -> Yes</div>															
		Total Material Imported/Exported Volume (yd³/day)		Daily VMT (miles/day)											
Phase	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck									
Grubbing/Land Clearing	0	0	0	0	0	0									
Grading/Excavation	343	0	782	0	1,200	40									
Drainage/Utilities/Sub-Grade	0	0	0	0	0	0									
Paving	0	0	0	0	0	0									

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP). 1 , 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.

Total Emission Estimates by Phase for -> Sac River S/S Contract 2: 2021 Berms and Relief Wells															
Project Phases (Tons for all except CO2e. Metric tonnes for CO2e)	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)	
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grading/Excavation	0.51	4.41	4.99	1.59	0.27	1.32	0.51	0.24	0.27	0.01	728.71	0.17	0.01	667.54	
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Maximum (tons/phase)	0.51	4.41	4.99	1.59	0.27	1.32	0.51	0.24	0.27	0.01	728.71	0.17	0.01	667.54	
Total (tons/construction project)	0.51	4.41	4.99	1.59	0.27	1.32	0.51	0.24	0.27	0.01	728.71	0.17	0.01	667.54	

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP). 1 , 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.

The CO2e emissions are reported as metric tons per phase.

Daily Emission Estimates for -> Sac River S/S Contract 2: 2021 Berms and Relief Wells														
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	PM10 (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	Total (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation	4.37	85.89	16.03	30.89	0.89	30.00	6.90	0.66	6.24	0.17	16,561.68	3.86	0.22	16,723.34
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum (pounds/day)	4.37	85.89	16.03	30.89	0.89	30.00	6.90	0.66	6.24	0.17	16,561.68	3.86	0.22	16,723.34
Total (tons/construction project)	0.19	3.78	0.71	1.36	0.04	1.32	0.30	0.03	0.27	0.01	728.71	0.17	0.01	735.83
Notes: Project Start Year -> 2021 Project Length (months) -> 4 Total Project Area (acres) -> 3 Maximum Area Disturbed/Day (acres) -> 3 Water Truck Used? -> Yes														
		Total Material Imported/Exported Volume (yd³/day)		Daily VMT (miles/day)										
Phase	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck								
Grubbing/Land Clearing	0	0	0	0	0	0								
Grading/Excavation	343	0	782	0	1,200	40								
Drainage/Utilities/Sub-Grade	0	0	0	0	0	0								
Paving	0	0	0	0	0	0								
PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.														
Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.														
CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.														
Total Emission Estimates by Phase for -> Sac River S/S Contract 2: 2021 Berms and Relief Wells														
Project Phases (Tons for all except CO2e. Metric tonnes for CO2e)	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM10 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	PM2.5 (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)
Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grading/Excavation	0.19	3.78	0.71	1.36	0.04	1.32	0.30	0.03	0.27	0.01	728.71	0.17	0.01	667.54
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum (tons/phase)	0.19	3.78	0.71	1.36	0.04	1.32	0.30	0.03	0.27	0.01	728.71	0.17	0.01	667.54
Total (tons/construction project)	0.19	3.78	0.71	1.36	0.04	1.32	0.30	0.03	0.27	0.01	728.71	0.17	0.01	667.54
PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.														
Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.														
CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.														
The CO2e emissions are reported as metric tons per phase.														

Road Construction Emissions Model		Version 8.1.0	
Data Entry Worksheet			
<p>Note: Required data input sections have a yellow background. Optional data input sections have a blue background. Only areas with a yellow or blue background can be modified. Program defaults have a white background. The user is required to enter information in cells D10 through D24, E28 through G35, and D38 through D41 for all project types. Please use "Clear Data Input & User Overrides" button first before changing the Project Type or begin a new project.</p>			
Input Type			
Project Name	Sac River S/S Contract 2: 2021	Vegetation and Cutoff Wall	
Construction Start Year	2021	Enter a Year between 2014 and 2025 (inclusive)	
Project Type	4	1) New Road Construction : Project to build a roadway from bare ground, which generally requires more site preparation than widening an existing roadway 2) Road Widening : Project to add a new lane to an existing roadway 3) Bridge/Overpass Construction : Project to build an elevated roadway, which generally requires some different equipment than a new roadway, such as a crane 4) Other Linear Project Type: Non-roadway project such as a pipeline, transmission line, or levee construction	
Project Construction Time	7.20	months	
Working Days per Month	22.00	days (assume 22 if unknown)	
Predominant Soil/Site Type: Enter 1, 2, or 3 (for project within "Sacramento County", follow soil type selection instructions in cells E18 to E20 otherwise see instructions provided in cells J18 to J22)	2	1) Sand Gravel : Use for quaternary deposits (Delta/West County) 2) Weathered Rock-Earth : Use for Laguna formation (Jackson Highway area) or the lone formation (Scott Road, Rancho Murieta) 3) Blasted Rock : Use for Salt Springs Slate or Copper Hill Volcanics (Folsom South of Highway 50, Rancho Murieta)	
Project Length	2.20	miles	
Total Project Area	69.00	acres	
Maximum Area Disturbed/Day	5.00	acres	
Water Trucks Used?	1	1. Yes 2. No	
<p>Please note that the soil type instructions provided in cells E18 to E20 are specific to Sacramento County. Maps available from the California Geologic Survey (see weblink below) can be used to determine soil type outside Sacramento County.</p> <p>http://www.conservation.ca.gov/cgs/information/geologic_mapping/Pages/googlemaps.aspx#regionalseries</p>			
Material Hauling Quantity Input			
Material Type	Phase	Haul Truck Capacity (yd ³) (assume 20 if unknown)	Import Volume (yd ³ /day)
Soil	Grubbing/Land Clearing	15.00	0.00
	Grading/Excavation	15.00	1978.00
	Drainage/Utilities/Sub-Grade		
	Paving		
Asphalt	Grubbing/Land Clearing		
	Grading/Excavation		
	Drainage/Utilities/Sub-Grade		
	Paving		
Mitigation Options			
On-road Fleet Emissions Mitigation	No Mitigation	Select "2010 and Newer On-road Vehicles Fleet" option when the on-road heavy-duty truck fleet for the project will be limited to vehicles of model year 2010 or newer	
Off-road Equipment Emissions Mitigation	No Mitigation	Select "20% NOx and 45% Exhaust PM reduction" option if the project will be required to use a lower emitting off-road construction fleet. The SMAQMD Construction Mitigation Calculator can be used to confirm compliance with this mitigation measure (http://www.airquality.org/ceqa/mitigation.shtml). Select "Tier 4 Equipment" option if some or all off-road equipment used for the project meets CARB Tier 4 Standard	

The remaining sections of this sheet contain areas that require modification when 'Other Project Type' is selected.

Note: The program's estimates of construction period phase length can be overridden in cells D50 through D53, and F50 through F53.

Construction Periods	User Override of Construction Months	Calculated Months	User Override of Phase Starting Date	Program Default Phase Starting Date
Grubbing/Land Clearing	0.80	0.72	4/1/2021	1/1/2021
Grading/Excavation	6.40	3.24	4/15/2021	1/26/2021
Drainage/Utilities/Sub-Grade	0.00	2.16	9/22/2021	8/9/2021
Paving	0.00	1.08	10/30/2021	8/9/2021
Totals (Months)		7		

Note: Soil Hauling emission default values can be overridden in cells D61 through D64, and F61 through F64.

Soil Hauling Emissions		User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip	User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT					
User Input											
Miles/round trip: Grubbing/Land Clearing		26.00			3	78.00					
Miles/round trip: Grading/Excavation		41.00			135	5535.00					
Miles/round trip: Drainage/Utilities/Sub-Grade					0	0.00					
Miles/round trip: Paving					0	0.00					
Emission Rates		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Grubbing/Land Clearing (grams/mile)		0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92
Grading/Excavation (grams/mile)		0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92
Drainage/Utilities/Sub-Grade (grams/mile)		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving (grams/mile)		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hauling Emissions		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Pounds per day - Grubbing/Land Clearing		0.02	0.07	0.63	0.02	0.01	0.00	277.63	0.00	0.01	280.45
Tons per const. Period - Grubbing/Land Clearing		0.00	0.00	0.01	0.00	0.00	0.00	2.44	0.00	0.00	2.47
Pounds per day - Grading/Excavation		1.24	5.28	44.48	1.40	0.63	0.19	19,701.07	0.06	0.67	19,901.52
Tons per const. Period - Grading/Excavation		0.09	0.37	3.13	0.10	0.04	0.01	1,386.96	0.00	0.05	1,401.07
Pounds per day - Drainage/Utilities/Sub-Grade		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Drainage/Utilities/Sub-Grade		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pounds per day - Paving		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tons per const. Period - Paving		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total tons per construction project		0.09	0.37	3.14	0.10	0.04	0.01	1,389.40	0.00	0.05	1,403.53

Note: Asphalt Hauling emission default values can be overridden in cells D87 through D90, and F87 through F90.

Asphalt Hauling Emissions		User Override of Miles/Round Trip	Program Estimate of Miles/Round Trip	User Override of Truck Round Trips/Day	Default Values Round Trips/Day	Calculated Daily VMT					
User Input											
Miles/round trip: Grubbing/Land Clearing					0	0.00					
Miles/round trip: Grading/Excavation					0	0.00					
Miles/round trip: Drainage/Utilities/Sub-Grade					0	0.00					
Miles/round trip: Paving					0	0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92	
Grading/Excavation (grams/mile)	0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92	
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Grading/Excavation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Note: Worker commute default values can be overridden in cells D113 through D118.

Worker Commute Emissions		User Override of Worker Commute Default Values	Default Values								
User Input											
Miles/one-way trip	20			Calculated Daily Trips		Calculated Daily VMT					
One-way trips/day	2										
No. of employees: Grubbing/Land Clearing	14			28		560.00					
No. of employees: Grading/Excavation	100			200		4,000.00					
No. of employees: Drainage/Utilities/Sub-Grade				0		0.00					
No. of employees: Paving				0		0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.02	0.99	0.10	0.05	0.02	0.00	360.03	0.01	0.00	361.48	
Grading/Excavation (grams/mile)	0.02	0.99	0.10	0.05	0.02	0.00	360.03	0.01	0.00	361.48	
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Grubbing/Land Clearing (grams/trip)	0.93	2.28	0.18	0.00	0.00	0.00	81.88	0.01	0.01	84.35	
Grading/Excavation (grams/trip)	0.93	2.28	0.18	0.00	0.00	0.00	81.88	0.01	0.01	84.35	
Draining/Utilities/Sub-Grade (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/trip)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.08	1.36	0.14	0.06	0.02	0.00	449.55	0.01	0.01	451.49	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.01	0.00	0.00	0.00	0.00	3.96	0.00	0.00	3.97	
Pounds per day - Grading/Excavation	0.58	9.74	0.97	0.41	0.17	0.03	3,211.04	0.07	0.04	3,224.91	
Tons per const. Period - Grading/Excavation	0.04	0.69	0.07	0.03	0.01	0.00	226.06	0.01	0.00	227.03	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.04	0.70	0.07	0.03	0.01	0.00	230.01	0.01	0.00	231.01	

Note: Water Truck default values can be overridden in cells D145 through D148, and F145 through F148.

Water Truck Emissions		User Override of Default # Water Trucks	Program Estimate of Number of Water Trucks	User Override of Truck Miles Traveled/Vehicle/Day	Default Values Miles Traveled/Vehicle/Day	Calculated Daily VMT					
User Input											
Grubbing/Land Clearing - Exhaust	1			40.00		40.00					
Grading/Excavation - Exhaust	2			40.00		80.00					
Drainage/Utilities/Subgrade						0.00					
Paving						0.00					
Emission Rates	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Grubbing/Land Clearing (grams/mile)	0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92	
Grading/Excavation (grams/mile)	0.10	0.43	3.65	0.11	0.05	0.02	1,614.50	0.00	0.05	1,630.92	
Draining/Utilities/Sub-Grade (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Paving (grams/mile)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Emissions	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
Pounds per day - Grubbing/Land Clearing	0.01	0.04	0.32	0.01	0.00	0.00	142.37	0.00	0.00	143.82	
Tons per const. Period - Grubbing/Land Clearing	0.00	0.00	0.00	0.00	0.00	0.00	1.25	0.00	0.00	1.27	
Pounds per day - Grading/Excavation	0.02	0.08	0.64	0.02	0.01	0.00	284.75	0.00	0.01	287.66	
Tons per const. Period - Grading/Excavation	0.00	0.01	0.05	0.00	0.00	0.00	20.05	0.00	0.00	20.25	
Pounds per day - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Pounds per day - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Tons per const. Period - Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total tons per construction project	0.00	0.01	0.05	0.00	0.00	0.00	21.30	0.00	0.00	21.52	

Note: Fugitive dust default values can be overridden in cells D171 through D173.

Fugitive Dust		User Override of Max Acreage Disturbed/Day	Default Maximum Acreage/Day	PM10 pounds/day	PM10 tons/period	PM2.5 pounds/day	PM2.5 tons/period
Fugitive Dust - Grubbing/Land Clearing				50.00	0.44	10.40	0.09
Fugitive Dust - Grading/Excavation				50.00	3.52	10.40	0.73
Fugitive Dust - Drainage/Utilities/Subgrade				0.00	0.00	0.00	0.00

Values in cells D183 through D216, D234 through D267, D285 through D318, and D336 through D369 are required when 'Other Project Type' is selected.

Off-Road Equipment Emissions															
Grubbing/Land Clearing	Default		Mitigation Option		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e	
	Number of Vehicles	Override of	Default												
		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)	Equipment Tier	Type											
	Override of Default Number of Vehicles	Program-estimate			pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	
	0.00			Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2.00			Model Default Tier	Cranes	1.01	4.85	11.86	0.48	0.44	0.01	1,366.61	0.44	0.01	1,381.34
	0.00			Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	2.00			Model Default Tier	Excavators	0.59	8.44	5.55	0.27	0.25	0.01	1,290.05	0.42	0.01	1,303.96
	0.00			Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	0.00			Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	1.00			Model Default Tier	Signal Boards	0.07	0.38	0.45	0.02	0.02	0.01	61.64	0.01	0.00	61.96
	0.00			Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00			Model Default Tier	Sweepers/Scrubbers	0.29	2.44	2.57	0.19	0.17	0.00	307.72	0.10	0.00	311.03
	2.00			Model Default Tier	Tractors/Loaders/Backhoes	0.47	5.71	4.79	0.28	0.26	0.01	760.01	0.25	0.01	768.19
	0.00			Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment					If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab										
Number of Vehicles		Equipment Tier		Type	ROG pounds/day	CO pounds/day	NOx pounds/day	PM10 pounds/day	PM2.5 pounds/day	SOx pounds/day	CO2 pounds/day	CH4 pounds/day	N2O pounds/day	CO2e pounds/day	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
		Grubbing/Land Clearing		pounds per day	2.43	21.81	25.22	1.24	1.14	0.04	3,786.04	1.21	0.03	3,826.48	
		Grubbing/Land Clearing		tons per phase	0.02	0.19	0.22	0.01	0.01	0.00	33.32	0.01	0.00	33.67	

Grading/Excavation	Default		Mitigation Option		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
	Number of Vehicles	Override of Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)	Default	Type										
Override of Default Number of Vehicles		Program-estimate	Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
	0.00		Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4.00		Model Default Tier	Bore/Drill Rigs	1.20	9.67	14.09	0.43	0.39	0.04	4,250.79	1.38	0.04	4,296.74
	0.00		Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4.00		Model Default Tier	Cranes	2.02	9.70	23.72	0.96	0.89	0.03	2,733.23	0.88	0.02	2,762.68
	0.00		Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	10.00		Model Default Tier	Excavators	2.96	42.19	27.77	1.35	1.24	0.07	6,450.27	2.09	0.06	6,519.82
	0.00		Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00		Model Default Tier	Generator Sets	0.45	4.61	3.96	0.21	0.21	0.01	778.79	0.04	0.01	781.53
	4.00		Model Default Tier	Graders	3.20	22.52	30.62	1.71	1.57	0.03	3,027.78	0.98	0.03	3,060.33
	0.00		Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	16.00		Model Default Tier	Other Material Handling Equipment	5.86	75.32	52.93	2.68	2.47	0.12	11,126.92	3.60	0.10	11,246.88
	0.00		Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	6.00		Model Default Tier	Rollers	1.44	14.28	14.61	0.89	0.82	0.02	1,929.49	0.62	0.02	1,950.28
	10.00		Model Default Tier	Rough Terrain Forklifts	1.54	28.68	20.15	0.78	0.72	0.04	4,172.12	1.35	0.04	4,217.08
	10.00		Model Default Tier	Rubber Tired Dozers	11.07	90.87	114.26	5.22	4.80	0.11	10,771.06	3.48	0.10	10,886.78
	0.00		Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	6.00		Model Default Tier	Signal Boards	0.43	2.26	2.70	0.10	0.10	0.01	369.85	0.04	0.00	371.73
	0.00		Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1.00		Model Default Tier	Sweepers/Scrubbers	0.29	2.44	2.57	0.19	0.17	0.00	307.72	0.10	0.00	311.03
	6.00		Model Default Tier	Tractors/Loaders/Backhoes	1.42	17.13	14.37	0.85	0.78	0.02	2,280.02	0.74	0.02	2,304.56
	0.00		Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
If non-default vehicles are used, please provide information in "Non-default Off-road Equipment" tab					pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
Number of Vehicles		Equipment Tier		Type										
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Grading/Excavation	pounds per day		31.87	319.65	321.74	15.37	14.17	0.50	48,198.03	15.29	0.43	48,709.44
		Grading/Excavation	tons per phase		2.24	22.50	22.65	1.08	1.00	0.04	3,393.14	1.08	0.03	3,429.14

Drainage/Utilities/Subgrade	Default		Mitigation Option		Default	ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
	Number of Vehicles		Override of												
			Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)	Equipment Tier											
Override of Default Number of Vehicles		Program-estimate		Equipment Tier		pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
	0.00			Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00			Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment															
If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab						ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Number of Vehicles		Equipment Tier		Type		pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Drainage/Utilities/Sub-Grade		pounds per day		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Drainage/Utilities/Sub-Grade		tons per phase		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Paving	Default		Mitigation Option		ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
	Number of Vehicles	Override of	Default	Type										
		Default Equipment Tier (applicable only when "Tier 4 Mitigation" Option Selected)												
Override of Default Number of Vehicles		Program-estimate	Equipment Tier	Type	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
	0.00		Model Default Tier	Aerial Lifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Air Compressors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Bore/Drill Rigs	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Cement and Mortar Mixers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Concrete/Industrial Saws	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Cranes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Crawler Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Crushing/Proc. Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Excavators	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Generator Sets	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Graders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Off-Highway Tractors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Off-Highway Trucks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other Construction Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other General Industrial Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Other Material Handling Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pavers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Paving Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Plate Compactors	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pressure Washers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Pumps	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rollers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rough Terrain Forklifts	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rubber Tired Dozers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Rubber Tired Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Scrapers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Signal Boards	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Skid Steer Loaders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Surfacing Equipment	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Sweepers/Scrubbers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Tractors/Loaders/Backhoes	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Trenchers	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		Model Default Tier	Welders	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User-Defined Off-road Equipment					ROG	CO	NOx	PM10	PM2.5	SOx	CO2	CH4	N2O	CO2e
Number of Vehicles		If non-default vehicles are used, please provide information in 'Non-default Off-road Equipment' tab			pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day	pounds/day
	0.00		N/A	Type	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0.00		N/A		0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Paving			pounds per day	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Paving			tons per phase	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total Emissions all Phases (tons per construction period) =>					2.26	22.70	22.87	1.09	1.01	0.04	3,426.46	1.09	0.03	3,462.82

Equipment default values for horsepower and hours/day can be overridden in cells D391 through D424 and F391 through F424.

Equipment	User Override of Horsepower	Default Values Horsepower	User Override of Hours/day	Default Values Hours/day
Aerial Lifts		63	10.00	8
Air Compressors		78	10.00	8
Bore/Drill Rigs		206	10.00	8
Cement and Mortar Mixers		9	10.00	8
Concrete/Industrial Saws		81	10.00	8
Cranes		226	10.00	8
Crawler Tractors		208	10.00	8
Crushing/Proc. Equipment		85	10.00	8
Excavators		163	10.00	8
Forklifts		89	10.00	8
Generator Sets		84	10.00	8
Graders		175	10.00	8
Off-Highway Tractors		123	10.00	8
Off-Highway Trucks		400	10.00	8
Other Construction Equipment		172	10.00	8
Other General Industrial Equipment		88	10.00	8
Other Material Handling Equipment		167	10.00	8
Pavers		126	10.00	8
Paving Equipment		131	10.00	8
Plate Compactors		8	10.00	8
Pressure Washers		13	10.00	8
Pumps		84	10.00	8
Rollers		81	10.00	8
Rough Terrain Forklifts		100	10.00	8
Rubber Tired Dozers		255	10.00	8
Rubber Tired Loaders		200	10.00	8
Scrapers		362	10.00	8
Signal Boards		6	10.00	8
Skid Steer Loaders		65	10.00	8
Surfacing Equipment		254	10.00	8
Sweepers/Scrubbers		64	10.00	8
Tractors/Loaders/Backhoes		98	10.00	8
Trenchers		81	10.00	8
Welders		46	10.00	8

END OF DATA ENTRY SHEET

Road Construction Emissions Model, Version 8.1.0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.

The CO2e emissions are reported as metric tons per phase.

Road Construction Emissions Model, Version 8.1.0

Daily Emission Estimates for -> Sac River S/S Contract 2: 2021 Vegetation and Cutoff Wall														
Project Phases (Pounds)	ROG (lbs/day)	CO (lbs/day)	NOx (lbs/day)	PM10 (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	Total (lbs/day)	Exhaust (lbs/day)	Fugitive Dust (lbs/day)	SOx (lbs/day)	CO2 (lbs/day)	CH4 (lbs/day)	N2O (lbs/day)	CO2e (lbs/day)
Grubbing/Land Clearing	2.53	23.27	25.73	51.32	1.32	50.00	11.58	1.18	10.40	0.05	4,641.30	1.22	0.05	4,687.68
Grading/Excavation	33.27	333.97	340.40	67.05	17.05	50.00	25.24	14.84	10.40	0.72	70,714.91	15.40	1.11	71,430.41
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum (pounds/day)	35.80	357.24	366.13	118.38	18.38	100.00	36.81	16.01	20.80	0.76	75,356.20	16.63	1.16	76,118.09
Total (tons/construction project)	2.36	23.72	24.19	5.17	1.21	3.96	1.88	1.05	0.82	0.05	5,019.17	1.10	0.08	5,069.95
Notes: Project Start Year -> 2021 Project Length (months) -> 7 Total Project Area (acres) -> 69 Maximum Area Disturbed/Day (acres) -> 5 Water Truck Used? -> Yes														
		Total Material Imported/Exported Volume (yd³/day)		Daily VMT (miles/day)										
Phase	Soil	Asphalt	Soil Hauling	Asphalt Hauling	Worker Commute	Water Truck								
Grubbing/Land Clearing	35	0	78	0	560	40								
Grading/Excavation	2,015	0	5,535	0	4,000	80								
Drainage/Utilities/Sub-Grade	0	0	0	0	0	0								
Paving	0	0	0	0	0	0								
PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.														
Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.														
CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1 , 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.														
Total Emission Estimates by Phase for -> Sac River S/S Contract 2: 2021 Vegetation and Cutoff Wall														
Project Phases (Tons for all except CO2e. Metric tonnes for CO2e)	ROG (tons/phase)	CO (tons/phase)	NOx (tons/phase)	PM10 (tons/phase)	Exhaust (tons/phase)	Fugitive Dust (tons/phase)	Total (tons/phase)	Exhaust (tons/phase)	Fugitive Dust (tons/phase)	SOx (tons/phase)	CO2 (tons/phase)	CH4 (tons/phase)	N2O (tons/phase)	CO2e (MT/phase)
Grubbing/Land Clearing	0.02	0.20	0.23	0.45	0.01	0.44	0.10	0.01	0.09	0.00	40.84	0.01	0.00	37.42
Grading/Excavation	2.34	23.51	23.96	4.72	1.20	3.52	1.78	1.04	0.73	0.05	4,978.33	1.08	0.08	4,562.01
Drainage/Utilities/Sub-Grade	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Paving	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum (tons/phase)	2.34	23.51	23.96	4.72	1.20	3.52	1.78	1.04	0.73	0.05	4978.33	1.08	0.08	4,562.01
Total (tons/construction project)	2.36	23.72	24.19	5.17	1.21	3.96	1.88	1.05	0.82	0.05	5019.17	1.10	0.08	4,599.43
PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.														
Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.														
CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1 , 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.														
The CO2e emissions are reported as metric tons per phase.														

Road Construction Emissions Model, Version 8.1.0

PM10 and PM2.5 estimates assume 50% control of fugitive dust from watering and associated dust control measures if a minimum number of water trucks are specified.

Total PM10 emissions shown in column F are the sum of exhaust and fugitive dust emissions shown in columns G and H. Total PM2.5 emissions shown in Column I are the sum of exhaust and fugitive dust emissions shown in columns J and K.

CO2e emissions are estimated by multiplying mass emissions for each GHG by its global warming potential (GWP), 1, 25 and 298 for CO2, CH4 and N2O, respectively. Total CO2e is then estimated by summing CO2e estimates over all GHGs.

The CO2e emissions are reported as metric tons per phase.

APPENDIX B. BIOLOGICAL RESOURCES DATA

Appendix B-1: Land Cover Maps and Sensitive Biological Resources

Appendix B-2: Species Lists


Appendix B-3: Special-Status Species Occurrence Tables

Appendix B-1: Land Cover Maps and Sensitive Biological Resources

Legend

Habitat Type

- DEV - 23.69 Acres
- FCF - 5.20 Acres
- LAND - 13.80 Acres
- SBWT - 0.43 Acres
- VOW -5.74 Acres
- WOG - 15.52 Acres
- Project Boundary
- Elderberry



SHEET
1 of 6




US Army Corps
of Engineers
Sacramento District



SREL C2
HABITAT/ELDERBERRY/
RARE PLANT


ARCF 2016





1 in = 1,204 ft

0 2,000 4,000
Feet

Date Saved: 6/15/2020 1:16:31 PM







Legend

Habitat Type

DEV - 23.69 Acres

FCF - 5.20 Acres

LAND - 13.80 Acres

SBWT - 0.43 Acres

VOW -5.74 Acres

WOG - 15.52 Acres


Project Boundary

Elderberry

SHEET
3 of 6

Legend



- Habitat Type
- DEV - 23.69 Acres
 - FCF - 5.20 Acres
 - LAND - 13.80 Acres
 - SBWT - 0.43 Acres
 - VOW -5.74 Acres
 - WOG - 15.52 Acres
- Project Boundary
- Elderberry



SHEET
4 of 6



SREL C2
HABITAT/ELDERBERRY/RARE PLANT
1320+00 - 1415+00
ARCF 2016





Legend

Habitat Type

DEV - 23.69 Acres

FCF - 5.20 Acres

LAND - 13.80 Acres

SBWT - 0.43 Acres

VOW -5.74 Acres

WOG - 15.52 Acres

Project Boundary

Elderberry

SHEET
5 of 6


**US Army Corps
of Engineers**
Sacramento District




SREL C2

HABITAT/ELDERBERRY/

RARE PLANT

1407+50 - 1475+00

ARCF 2016


1 in = 208 ft


0


Feet

360

720

Date Saved: 6/15/2020 1:22:49 PM





Appendix B-2: Species Lists



United States Department of the Interior

FISH AND WILDLIFE SERVICE
Sacramento Fish And Wildlife Office
Federal Building
2800 Cottage Way, Room W-2605
Sacramento, CA 95825-1846
Phone: (916) 414-6600 Fax: (916) 414-6713



In Reply Refer To:

June 15, 2020

Consultation Code: 08ESMF00-2020-SLI-0923

Event Code: 08ESMF00-2020-E-06697

Project Name: ARCF 2016 Sacramento River East Levee Contract 2

Subject: Updated list of threatened and endangered species that may occur in your proposed project location, and/or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, under the jurisdiction of the U.S. Fish and Wildlife Service (Service) that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the Service under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

Please follow the link below to see if your proposed project has the potential to affect other species or their habitats under the jurisdiction of the National Marine Fisheries Service:

http://www.nwr.noaa.gov/protected_species/species_list/species_lists.html

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF>

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 *et seq.*), and projects affecting these species may require development of an eagle conservation plan (http://www.fws.gov/windenergy/eagle_guidance.html). Additionally, wind energy projects should follow the wind energy guidelines (<http://www.fws.gov/windenergy/>) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at: <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/towers.htm>; <http://www.towerkill.com>; and <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/comtow.html>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List

Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

Sacramento Fish And Wildlife Office

Federal Building
2800 Cottage Way, Room W-2605
Sacramento, CA 95825-1846
(916) 414-6600

This project's location is within the jurisdiction of multiple offices. Expect additional species list documents from the following office, and expect that the species and critical habitats in each document reflect only those that fall in the office's jurisdiction:

San Francisco Bay-Delta Fish And Wildlife

650 Capitol Mall
Suite 8-300
Sacramento, CA 95814
(916) 930-5603

Project Summary

Consultation Code: 08ESMF00-2020-SLI-0923

Event Code: 08ESMF00-2020-E-06697


Project Name: ARCF 2016 Sacramento River East Levee Contract 2

Project Type: LAND - FLOODING

Project Description: Levee improvements to address seepage and stability issues along Sacramento River's East Levee. Contract is comprised of cutoff walls.

Project Location:

Approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/place/38.50797619605764N121.53828345401654W>



Counties: Sacramento, CA | Yolo, CA

Endangered Species Act Species

There is a total of 10 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

-
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Birds

NAME	STATUS
Least Bell's Vireo <i>Vireo bellii pusillus</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/5945	Endangered
Yellow-billed Cuckoo <i>Coccyzus americanus</i> Population: Western U.S. DPS There is proposed critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/3911	Threatened

Reptiles

NAME	STATUS
Giant Garter Snake <i>Thamnophis gigas</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/4482	Threatened

Amphibians

NAME	STATUS
<p>California Red-legged Frog <i>Rana draytonii</i></p> <p>There is final critical habitat for this species. Your location is outside the critical habitat.</p> <p>Species profile: https://ecos.fws.gov/ecp/species/2891</p> <p>Species survey guidelines: https://ecos.fws.gov/ipac/guideline/survey/population/205/office/11420.pdf</p>	Threatened
<p>California Tiger Salamander <i>Ambystoma californiense</i></p> <p>Population: U.S.A. (Central CA DPS)</p> <p>There is final critical habitat for this species. Your location is outside the critical habitat.</p> <p>Species profile: https://ecos.fws.gov/ecp/species/2076</p>	Threatened

Fishes

NAME	STATUS
<p>Delta Smelt <i>Hypomesus transpacificus</i></p> <p>There is final critical habitat for this species. Your location overlaps the critical habitat.</p> <p>Species profile: https://ecos.fws.gov/ecp/species/321</p>	Threatened

Insects

NAME	STATUS
<p>Valley Elderberry Longhorn Beetle <i>Desmocerus californicus dimorphus</i></p> <p>There is final critical habitat for this species. Your location is outside the critical habitat.</p> <p>Species profile: https://ecos.fws.gov/ecp/species/7850</p> <p>Habitat assessment guidelines: https://ecos.fws.gov/ipac/guideline/assessment/population/436/office/11420.pdf</p>	Threatened

Crustaceans

NAME	STATUS
<p>Conservancy Fairy Shrimp <i>Branchinecta conservatio</i></p> <p>There is final critical habitat for this species. Your location is outside the critical habitat.</p> <p>Species profile: https://ecos.fws.gov/ecp/species/8246</p>	Endangered
<p>Vernal Pool Fairy Shrimp <i>Branchinecta lynchi</i></p> <p>There is final critical habitat for this species. Your location is outside the critical habitat.</p> <p>Species profile: https://ecos.fws.gov/ecp/species/498</p>	Threatened
<p>Vernal Pool Tadpole Shrimp <i>Lepidurus packardii</i></p> <p>There is final critical habitat for this species. Your location is outside the critical habitat.</p> <p>Species profile: https://ecos.fws.gov/ecp/species/2246</p>	Endangered

Critical habitats

There is 1 critical habitat wholly or partially within your project area under this office's jurisdiction.

NAME	STATUS
Delta Smelt <i>Hypomesus transpacificus</i> https://ecos.fws.gov/ecp/species/321#crithab	Final



United States Department of the Interior

FISH AND WILDLIFE SERVICE
San Francisco Bay-Delta Fish And Wildlife
650 Capitol Mall
Suite 8-300
Sacramento, CA 95814
Phone: (916) 930-5603 Fax: (916) 930-5654
[http://kim_squires@fws.gov](mailto:kim_squires@fws.gov)



In Reply Refer To:

June 15, 2020

Consultation Code: 08FBDT00-2020-SLI-0090

Event Code: 08FBDT00-2020-E-00455

Project Name: ARCF 2016 Sacramento River East Levee Contract 2

Subject: Updated list of threatened and endangered species that may occur in your proposed project location, and/or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the ECOS-IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the ECOS-IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF>

Please be aware that bald and golden eagles are protected under the Bald and Golden Eagle Protection Act (16 U.S.C. 668 *et seq.*), and projects affecting these species may require development of an eagle conservation plan (http://www.fws.gov/windenergy/eagle_guidance.html). Additionally, wind energy projects should follow the wind energy guidelines (<http://www.fws.gov/windenergy/>) for minimizing impacts to migratory birds and bats.

Guidance for minimizing impacts to migratory birds for projects including communications towers (e.g., cellular, digital television, radio, and emergency broadcast) can be found at: <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/towers.htm>; <http://www.towerkill.com>; and <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Hazards/towers/comtow.html>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Tracking Number in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List
-

Official Species List

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

San Francisco Bay-Delta Fish And Wildlife

650 Capitol Mall

Suite 8-300

Sacramento, CA 95814

(916) 930-5603

This project's location is within the jurisdiction of multiple offices. Expect additional species list documents from the following office, and expect that the species and critical habitats in each document reflect only those that fall in the office's jurisdiction:

Sacramento Fish And Wildlife Office

Federal Building

2800 Cottage Way, Room W-2605

Sacramento, CA 95825-1846

(916) 414-6600

Project Summary

Consultation Code: 08FBDT00-2020-SLI-0090

Event Code: 08FBDT00-2020-E-00455


Project Name: ARCF 2016 Sacramento River East Levee Contract 2

Project Type: LAND - FLOODING

Project Description: Levee improvements to address seepage and stability issues along Sacramento River's East Levee. Contract is comprised of cutoff walls.

Project Location:

Approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/place/38.50797619605764N121.53828345401654W>



Counties: Sacramento, CA | Yolo, CA

Endangered Species Act Species

There is a total of 10 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

-
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Birds

NAME	STATUS
Least Bell's Vireo <i>Vireo bellii pusillus</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/5945	Endangered
Yellow-billed Cuckoo <i>Coccyzus americanus</i> Population: Western U.S. DPS There is proposed critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/3911	Threatened

Reptiles

NAME	STATUS
Giant Garter Snake <i>Thamnophis gigas</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/4482	Threatened

Amphibians

NAME	STATUS
California Red-legged Frog <i>Rana draytonii</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/2891	Threatened
California Tiger Salamander <i>Ambystoma californiense</i> Population: U.S.A. (Central CA DPS) There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/2076	Threatened

Fishes

NAME	STATUS
Delta Smelt <i>Hypomesus transpacificus</i> There is final critical habitat for this species. Your location overlaps the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/321	Threatened

Insects

NAME	STATUS
Valley Elderberry Longhorn Beetle <i>Desmocerus californicus dimorphus</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/7850	Threatened

Crustaceans

NAME	STATUS
Conservancy Fairy Shrimp <i>Branchinecta conservatio</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/8246	Endangered
Vernal Pool Fairy Shrimp <i>Branchinecta lynchi</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/498	Threatened
Vernal Pool Tadpole Shrimp <i>Lepidurus packardii</i> There is final critical habitat for this species. Your location is outside the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/2246	Endangered

Critical habitats

There is 1 critical habitat wholly or partially within your project area under this office's jurisdiction.

NAME	STATUS
Delta Smelt <i>Hypomesus transpacificus</i> https://ecos.fws.gov/ecp/species/321#crithab	Final



Selected Elements by Scientific Name

California Department of Fish and Wildlife

California Natural Diversity Database



Query Criteria: Quad (Clarksburg (3812145) OR Sacramento East (3812154) OR Sacramento West (3812155) OR Florin (3812144) OR Grays Bend (3812166) OR Taylor Monument (3812165) OR Rio Linda (3812164) OR Saxon (3812146) OR Davis (3812156))

Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
<i>Accipiter cooperii</i> Cooper's hawk	ABNKC12040	None	None	G5	S4	WL
<i>Agelaius tricolor</i> tricolored blackbird	ABPBXB0020	None	Threatened	G2G3	S1S2	SSC
<i>Ammodramus savannarum</i> grasshopper sparrow	ABPBXA0020	None	None	G5	S3	SSC
<i>Antrozous pallidus</i> pallid bat	AMACC10010	None	None	G5	S3	SSC
<i>Archoplites interruptus</i> Sacramento perch	AFCQB07010	None	None	G2G3	S1	SSC
<i>Ardea alba</i> great egret	ABNGA04040	None	None	G5	S4	
<i>Ardea herodias</i> great blue heron	ABNGA04010	None	None	G5	S4	
<i>Astragalus tener</i> var. <i>ferrisiae</i> Ferris' milk-vetch	PDFAB0F8R3	None	None	G2T1	S1	1B.1
<i>Astragalus tener</i> var. <i>tener</i> alkali milk-vetch	PDFAB0F8R1	None	None	G2T1	S1	1B.2
<i>Athene cunicularia</i> burrowing owl	ABNSB10010	None	None	G4	S3	SSC
<i>Atriplex cordulata</i> var. <i>cordulata</i> heartscale	PDCHE040B0	None	None	G3T2	S2	1B.2
<i>Atriplex depressa</i> brittlescale	PDCHE042L0	None	None	G2	S2	1B.2
<i>Bombus crotchii</i> Crotch bumble bee	IIHYM24480	None	Candidate Endangered	G3G4	S1S2	
<i>Bombus occidentalis</i> western bumble bee	IIHYM24250	None	Candidate Endangered	G2G3	S1	
<i>Branchinecta conservatio</i> Conservancy fairy shrimp	ICBRA03010	Endangered	None	G2	S2	
<i>Branchinecta lynchi</i> vernal pool fairy shrimp	ICBRA03030	Threatened	None	G3	S3	
<i>Branchinecta mesoavallensis</i> midvalley fairy shrimp	ICBRA03150	None	None	G2	S2S3	
<i>Buteo regalis</i> ferruginous hawk	ABNKC19120	None	None	G4	S3S4	WL
<i>Buteo swainsoni</i> Swainson's hawk	ABNKC19070	None	Threatened	G5	S3	



Selected Elements by Scientific Name

California Department of Fish and Wildlife

California Natural Diversity Database



Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
Carex comosa bristly sedge	PMCYP032Y0	None	None	G5	S2	2B.1
Centromadia parryi ssp. parryi pappose tarplant	PDAST4R0P2	None	None	G3T2	S2	1B.2
Charadrius alexandrinus nivosus western snowy plover	ABNNB03031	Threatened	None	G3T3	S2S3	SSC
Charadrius montanus mountain plover	ABNNB03100	None	None	G3	S2S3	SSC
Chloropyron palmatum palmate-bracted bird's-beak	PDSCR0J0J0	Endangered	Endangered	G1	S1	1B.1
Cicindela hirticollis abrupta Sacramento Valley tiger beetle	IICOL02106	None	None	G5TH	SH	
Coccyzus americanus occidentalis western yellow-billed cuckoo	ABNRB02022	Threatened	Endangered	G5T2T3	S1	
Cuscuta obtusiflora var. glandulosa Peruvian dodder	PDCUS01111	None	None	G5T4?	SH	2B.2
Desmocerus californicus dimorphus valley elderberry longhorn beetle	IICOL48011	Threatened	None	G3T2	S2	
Downingia pusilla dwarf downingia	PDCAM060C0	None	None	GU	S2	2B.2
Egretta thula snowy egret	ABNGA06030	None	None	G5	S4	
Elanus leucurus white-tailed kite	ABNKC06010	None	None	G5	S3S4	FP
Elderberry Savanna Elderberry Savanna	CTT63440CA	None	None	G2	S2.1	
Emys marmorata western pond turtle	ARAAD02030	None	None	G3G4	S3	SSC
Eryngium jepsonii Jepson's coyote-thistle	PDAP10Z130	None	None	G2	S2	1B.2
Extriplex joaquinana San Joaquin spearscale	PDCHE041F3	None	None	G2	S2	1B.2
Falco columbarius merlin	ABNKD06030	None	None	G5	S3S4	WL
Fritillaria agrestis stinkbells	PMLIL0V010	None	None	G3	S3	4.2
Gratiola heterosepala Boggs Lake hedge-hyssop	PDSCR0R060	None	Endangered	G2	S2	1B.2
Great Valley Cottonwood Riparian Forest Great Valley Cottonwood Riparian Forest	CTT61410CA	None	None	G2	S2.1	
Hibiscus lasiocarpus var. occidentalis woolly rose-mallow	PDMAL0H0R3	None	None	G5T3	S3	1B.2



Selected Elements by Scientific Name

California Department of Fish and Wildlife

California Natural Diversity Database



Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
<i>Lasionycteris noctivagans</i> silver-haired bat	AMACC02010	None	None	G5	S3S4	
<i>Lasiurus cinereus</i> hoary bat	AMACC05030	None	None	G5	S4	
<i>Laterallus jamaicensis coturniculus</i> California black rail	ABNME03041	None	Threatened	G3G4T1	S1	FP
<i>Legenere limosa</i> legenere	PDCAM0C010	None	None	G2	S2	1B.1
<i>Lepidium latipes</i> var. <i>heckardii</i> Heckard's pepper-grass	PDBRA1M0K1	None	None	G4T1	S1	1B.2
<i>Lepidurus packardii</i> vernal pool tadpole shrimp	ICBRA10010	Endangered	None	G4	S3S4	
<i>Lilaeopsis masonii</i> Mason's lilaeopsis	PDAP119030	None	Rare	G2	S2	1B.1
<i>Linderiella occidentalis</i> California linderiella	ICBRA06010	None	None	G2G3	S2S3	
<i>Melospiza melodia</i> song sparrow ("Modesto" population)	ABPBXA3010	None	None	G5	S3?	SSC
<i>Myrmosula pacifica</i> Antioch multilid wasp	IIHYM15010	None	None	GH	SH	
<i>Navarretia leucocephala</i> ssp. <i>bakeri</i> Baker's navarretia	PDPLM0C0E1	None	None	G4T2	S2	1B.1
<i>Neostapfia colusana</i> Colusa grass	PMPOA4C010	Threatened	Endangered	G1	S1	1B.1
<i>Northern Claypan Vernal Pool</i> Northern Claypan Vernal Pool	CTT44120CA	None	None	G1	S1.1	
<i>Northern Hardpan Vernal Pool</i> Northern Hardpan Vernal Pool	CTT44110CA	None	None	G3	S3.1	
<i>Nycticorax nycticorax</i> black-crowned night heron	ABNGA11010	None	None	G5	S4	
<i>Oncorhynchus mykiss irideus</i> pop. 11 steelhead - Central Valley DPS	AFCHA0209K	Threatened	None	G5T2Q	S2	
<i>Oncorhynchus tshawytscha</i> pop. 6 chinook salmon - Central Valley spring-run ESU	AFCHA0205A	Threatened	Threatened	G5	S1	
<i>Oncorhynchus tshawytscha</i> pop. 7 chinook salmon - Sacramento River winter-run ESU	AFCHA0205B	Endangered	Endangered	G5	S1	
<i>Phalacrocorax auritus</i> double-crested cormorant	ABNFD01020	None	None	G5	S4	WL
<i>Plagiobothrys hystriculus</i> bearded popcornflower	PDBOR0V0H0	None	None	G2	S2	1B.1
<i>Plegadis chihi</i> white-faced ibis	ABNGE02020	None	None	G5	S3S4	WL



Selected Elements by Scientific Name
California Department of Fish and Wildlife
California Natural Diversity Database



Species	Element Code	Federal Status	State Status	Global Rank	State Rank	Rare Plant Rank/CDFW SSC or FP
<i>Pogonichthys macrolepidotus</i> Sacramento splittail	AFCJB34020	None	None	GNR	S3	SSC
<i>Progne subis</i> purple martin	ABPAU01010	None	None	G5	S3	SSC
<i>Puccinellia simplex</i> California alkali grass	PMPOA53110	None	None	G3	S2	1B.2
<i>Riparia riparia</i> bank swallow	ABPAU08010	None	Threatened	G5	S2	
<i>Sagittaria sanfordii</i> Sanford's arrowhead	PMALI040Q0	None	None	G3	S3	1B.2
<i>Sidalcea keckii</i> Keck's checkerbloom	PDMAL110D0	Endangered	None	G2	S2	1B.1
<i>Spirinchus thaleichthys</i> longfin smelt	AFCHB03010	Candidate	Threatened	G5	S1	
<i>Symphyotrichum lentum</i> Suisun Marsh aster	PDASTE8470	None	None	G2	S2	1B.2
<i>Taxidea taxus</i> American badger	AMAJF04010	None	None	G5	S3	SSC
<i>Thamnophis gigas</i> giant gartersnake	ARADB36150	Threatened	Threatened	G2	S2	
<i>Trifolium hydrophilum</i> saline clover	PDFAB400R5	None	None	G2	S2	1B.2
<i>Tuctoria mucronata</i> Crampton's tuctoria or Solano grass	PMPOA6N020	Endangered	Endangered	G1	S1	1B.1
<i>Vireo bellii pusillus</i> least Bell's vireo	ABPBW01114	Endangered	Endangered	G5T2	S2	
<i>Xanthocephalus xanthocephalus</i> yellow-headed blackbird	ABPBXB3010	None	None	G5	S3	SSC

Record Count: 75



*The database used to provide updates to the Online Inventory is under construction. **Inventory of Rare and Endangered Plants** [View updates and changes made since May 2019 here.](#)

Plant List

10 matches found. [Click on scientific name for details](#)

Search Criteria

Found in Quads 3812145 and 3812155;

[Modify Search Criteria](#) [Export to Excel](#) [Modify Columns](#) [Modify Sort](#) [Remove Photos](#)

Scientific Name	Common Name	Family	Lifeform	Blooming Period	CA Rare Plant Rank	State Rank	Global Rank	Photo
Astragalus tener var. ferrisiae	Ferris' milk-vetch	Fabaceae	annual herb	Apr-May	1B.1	S1	G2T1	no photo available



2009 Kerry Heise

Carex comosa	bristly sedge	Cyperaceae	perennial rhizomatous herb	May-Sep	2B.1	S2	G5	
------------------------------	---------------	------------	----------------------------	---------	------	----	----	--



2007 Christopher Bronny

Centromadia parryi ssp. parryi	pappose tarplant	Asteraceae	annual herb	May-Nov	1B.2	S2	G3T2	
--	------------------	------------	-------------	---------	------	----	------	--



2003 George W. Hartwell

Centromadia parryi ssp. rudis	Parry's rough tarplant	Asteraceae	annual herb	May-Oct	4.2	S3	G3T3	
---	------------------------	------------	-------------	---------	-----	----	------	--

Hibiscus
lasiocarpus var.
occidentaliswoolly
rose-
mallow

Malvaceae

perennial
rhizomatous
herb
(emergent)

Jun-Sep

1B.2

S3

G5T3



2012 Steven Perry

Juglans hindsiiNorthern
California
black
walnut

Juglandaceae

perennial
deciduous
tree

Apr-May

1B.1

S1

G1



2012 Neal Kramer

Lepidium latipes
var. heckardiiHeckard's
pepper-
grass

Brassicaceae

annual herb

Mar-May

1B.2

S1

G4T1

Carol Witham and
CNPSLilaeopsis
masoniiMason's
lilaeopsis

Apiaceae

perennial
rhizomatous
herb

Apr-Nov

1B.1

S2

G2



2005 Timothy Milliken 2005

Symphyotrichum
lentumSuisun
Marsh
aster

Asteraceae

perennial
rhizomatous
herb(Apr)May-
Nov

1B.2

S2

G2



2015 John Doyen

Trifolium
hydrophilumsaline
clover

Fabaceae


annual herb

Apr-Jun

1B.2

S2

G2



2005 Aaron Schusteff

Suggested Citation

California Native Plant Society, Rare Plant Program. 2020. Inventory of Rare and Endangered Plants of California (online edition, v8-03 0.39). Website <http://www.rareplants.cnps.org> [accessed 08 May 2020].

Search the Inventory[Simple Search](#)[Advanced Search](#)[Glossary](#)**Information**[About the Inventory](#)[About the Rare Plant Program](#)[CNPS Home Page](#)[About CNPS](#)[Join CNPS](#)**Contributors**[The Calflora Database](#)[The California Lichen Society](#)[California Natural Diversity Database](#)[The Jepson Flora Project](#)[The Consortium of California Herbaria](#)[CalPhotos](#)**Questions and Comments**rareplants@cnps.org

© Copyright 2010-2018 California Native Plant Society. All rights reserved.

Appendix B-3: Special-Status Species Occurrence Tables

Table 1. Special-status Plant Species with Potential to Occur in the Project Area

Species Name	Legal Status ¹	Habitat, Elevation Range, and Blooming Period	Potential for Occurrence ²
Watershield <i>Brasenia schreberi</i>	CRPR 2B.3	Freshwater ponds, marshes, and swamps, often in association with duckweed (<i>Lemna</i> spp.), from 98 to 7,218 feet in elevation. Blooms April–October.	Unlikely to occur
Bristly sedge <i>Carex comosa</i>	CRPR 2B.1	Marshes and swamps, generally on lake margins and wet places such as ditches, sloughs, and freshwater marsh, from 0 to 2,050 feet in elevation. Blooms May–September.	Unlikely occur
Bolander's water hemlock <i>Cicuta maculata</i> var. <i>bolanderi</i>	CRPR 2B.1	Coastal, freshwater, or brackish marshes and swamps, from 0 to 650 feet in elevation. Blooms July–September.	Unlikely to occur
Peruvian dodder <i>Cuscuta obtusiflora</i> var. <i>glandulosa</i>	CRPR 2B.2	Freshwater marshes and swamps; from 49 to 919 feet in elevation. Blooms July–October.	Unlikely to occur
Woolly rose-mallow <i>Hibiscus lasiocarpus</i> var. <i>occidentalis</i>	CRPR 1B.2	Freshwater marshes and swamps, generally found on wetted river banks and low peat islands in sloughs; known from the Delta watershed, also recorded in riprap on levee slopes, from 0 to 390 feet in elevation. Blooms June–November.	Known to occur
Northern California black walnut <i>Juglans hindsii</i>	CRPR 1B.1	Riparian forest and woodland, from 0 to 1,440 feet in elevation. Although there is one documented occurrence along the Sacramento River between Freeport and Walnut Grove (CNDDDB occurrence number 3), it is believed to have been extirpated and the species is believed to be extirpated from Sacramento County. Blooms April–May.	Unlikely to occur
Delta tule pea <i>Lathyrus jepsonii</i> var. <i>jepsonii</i>	CRPR 1B.2	Freshwater and brackish marshes; generally restricted to the Delta, also recorded in riprap on levee slopes, from 0 to 13 feet in elevation. Blooms May–July (rarely into September).	Unlikely to occur
Mason's lilaeopsis <i>Lilaeopsis masonii</i>	CR; CRPR 1B.1	Freshwater and brackish marshes, riparian scrub; generally found in tidal zones, on bare depositional soils in the Delta, from 0 to 33 feet in elevation. Blooms April–November.	Unlikely to occur
Delta mudwort <i>Limosella australis</i>	CRPR 2B.1	Riparian scrub, freshwater marsh, brackish marsh; generally occurs on intertidal mud banks of the Delta in marshy or scrubby riparian associations, from 0 to 10 feet in elevation. Blooms April–August.	Unlikely to occur
Sanford's arrowhead <i>Sagittaria sanfordii</i>	CRPR 1B.2	Assorted shallow freshwater marshes and swamps; generally occurs in standing or slow-moving freshwater ponds, marshes, ditches, and sloughs from 0 to 2,000 feet in elevation. Blooms May–October.	Unlikely to occur
Marsh skullcap <i>Scutellaria galericulata</i>	CRPR 2B.2	Lower montane coniferous forest, meadows and seeps, and marshes and swamps; generally occurs in swamps and wet places, also recorded on floating logs and pilings in river and slough channels, from 3,000 to 6,900 feet in elevation. Blooms June–September.	Unlikely to occur

Table 1. Special-status Plant Species with Potential to Occur in the Project Area

Species Name	Legal Status ¹	Habitat, Elevation Range, and Blooming Period	Potential for Occurrence ²
Side-flowering skullcap <i>Scutellaria lateriflora</i>	CRPR 2B.2	Meadows and seeps, marshes and swamps; generally occurs in wet meadows and marshes in the Delta, also recorded on floating logs and pilings in river and slough channels, from 0 to 1,600 feet in elevation. Blooms May–September.	Unlikely to occur
Suisun Marsh aster <i>Symphyotrichum lentum</i>	CRPR 1B.2	Brackish and freshwater marshes and swamps; endemic to the Delta; generally occurs in marshes and swamps, often along sloughs, also recorded in riprap on levee slopes and pilings in river and slough channels, from 0 to 10 feet in elevation. Blooms May–November.	Unlikely to occur

Notes: CNDDB = California Natural Diversity Database; CRPR = California Rare Plant Rank; Delta = Sacramento–San Joaquin Delta

¹ **Legal Status Definitions**

CR = State status of Rare (legally protected).

California Rare Plant Ranks:

1B Plant species considered rare or endangered in California and elsewhere (but not legally protected under the Federal or California Endangered Species Acts).

2B Plant species considered rare or endangered in California but more common elsewhere (but not legally protected under the Federal or California Endangered Species Acts).

California Rare Plant Rank Extensions:

.1 Seriously endangered in California (greater than 80 percent of occurrences are threatened and/or have a high degree and immediacy of threat).

.2 Fairly endangered in California (20 to 80 percent of occurrences are threatened and/or have a moderate degree and immediacy of threat).

.3 Not very endangered in California.

² **Potential for Occurrence Definitions:**

- *No potential to occur:* Potentially suitable habitat is not present.

- *Unlikely to occur:* Potentially suitable habitat present but species unlikely to be present because of very restricted distribution and/or because it was not observed during focused surveys.

- *Known to occur:* The species was observed during focused surveys.

Sources: Baldwin et. al. 2012; CDFW 2019; CNPS 2019

Table 2. Special-Status Fishes With Potential to Occur in the Project Area

Scientific Name Common Name	Status ¹ (Federal/State)	Description
<i>Entosphenus tridentatus</i> Pacific lamprey	–/SSC	Anadromous; expected to occur at the proposed levee improvement sites. Adults and rearing juveniles have the potential to be present year-round.
<i>Lampetra ayresi</i> river lamprey	–/SSC	Anadromous; though the distribution is not well known, the project area is within the species' known range and habitat is present in the Lower Sacramento River. Adults enter the streams in the fall, and spawning is believed to occur in April and May; young hatch in 2–3 weeks and remain in freshwater streams for 3–5 years (Moyle 2002).
<i>Acipenser medirostris</i> green sturgeon	FT, FX/SSC	Anadromous; expected to occur at the proposed levee improvement sites as adults migrating upstream to their spawning habitat (between late February and late July), and as larvae and juveniles, rearing and migrating to the ocean (year-round).
<i>Acipenser transmontanus</i> white sturgeon	–/SSC	Anadromous; expected to occur at the proposed levee improvement sites as adults migrating upstream to their spawning habitat (winter and spring), and as larvae moving downstream to the estuary (spring to early summer).
<i>Mylopharodon conocephalus</i> hardhead	–/SSC	Resident; expected to occur year-round in the Lower Sacramento River. Adults occur in deep, clear pool and run habitats, whereas juveniles are found in shallow water and along the shoreline (Moyle et al. 1982, Moyle 2002).
<i>Pogonichthys macrolepidotus</i> Sacramento splittail	–/SSC	Resident/semi-anadromous; expected to occur in wet years in the project area along the Lower Sacramento River as adults migrating from the Delta to flooded spawning areas in February–June, and as juveniles migrating from upstream spawning habitats to tidal habitat shortly after emergence, primarily in April and May (Sommer et al. 1997; Baxter 1999, 2000, both as cited in Moyle 2002).
<i>Hypomesus transpacificus</i> delta smelt	FT, FX/SE	Semi-anadromous; adults and juveniles are uncommon at the proposed levee improvement sites, but may be present in December–July, though typically restricted to the Delta and the Lower Sacramento River downstream of Isleton (RM 18); juveniles move downstream with the currents (USFWS 1996, Sommer et al. 2001a, Moyle 2002).
<i>Spirinchus thaleichthys</i> longfin smelt	FC/ST, SSC	Anadromous; rare migrant to the project area. Similar to delta smelt, adults and juveniles are uncommon, but may be present along the Lower Sacramento River in December–July when they enter freshwater streams to spawn, though typically restricted to the Delta and the lower Sacramento River downstream of Rio Vista (RM 12) (Moyle 2002, Baxter et al. 2008).
<i>Oncorhynchus mykiss</i> Central Valley steelhead	FT, FX/–	Anadromous; expected to occur in the Lower Sacramento River as adults migrating to their upstream spawning habitat, and as juveniles and smolts rearing and migrating towards the ocean. Adult migration to upstream spawning areas occurs in July–March (Hallock 1987). Juveniles typically spend 1–3 years in fresh water before migrating to the ocean, generally in December–August (McEwan 2001).
<i>Oncorhynchus tshawytscha</i> Central Valley spring-run Chinook salmon	FT, FX/ST	Anadromous; expected to occur in the Lower Sacramento River as adults migrating upstream in March–September, (peak May–June) (Yoshiyama et al. 1998), and as juveniles and yearlings migrating downstream from the onset of the winter storm season through June (CDFG 1998, Fisher 1994, S.P. Cramer and Associates 1995, Hill and Webber 1999, NMFS 2014).
<i>Oncorhynchus tshawytscha</i> Sacramento River winter-run Chinook salmon	FE, FX/SE	Anadromous; expected to occur in the Lower Sacramento River as adults, migrating upstream in December–July (peak in March) (Moyle 2002), and as juveniles migrating downstream soon after fry emerge, typically beginning in August and peaking in September and October (Vogel and Marine 1991). Juveniles and smolts (juveniles that are physiologically ready to enter seawater) may migrate through the project area in November–May (Yoshiyama et al. 1998).

Table 2. Special-Status Fishes With Potential to Occur in the Project Area

Scientific Name Common Name	Status ¹ (Federal/State)	Description
<i>Oncorhynchus tshawytscha</i> Central Valley fall-/late fall- run Chinook salmon	FSC/SSC	Anadromous; fall-run are expected to occur throughout the project area, either as adults migrating upstream to their spawning habitat, or as juveniles and smolts rearing and migrating toward the ocean. Late fall-run are expected to occur in the Lower Sacramento River. Fall-run adults migrate through the project area in June–December. Fall-run juveniles rear in fresh water for only a few months after emerging, migrating downstream through the project area in March–July (Yoshiyama et al. 1998). Late fall-run adults migrate through the project area in October–April. Late fall-run juveniles rear in their natal stream during summer; in some streams they remain throughout the year. Late fall-run smolt outmigration can occur in November–May (Yoshiyama et al. 1998).

Notes: CDFG = California Department of Fish and Game; CDFW = California Department of Fish and Wildlife; CESA = California Endangered Species Act; Delta = Sacramento-San Joaquin Delta; ESA = Federal Endangered Species Act; NMFS = National Marine Fisheries Service; USFWS = U.S. Fish and Wildlife Service

¹ Status (CDFW 2016, NMFS 2016, USFWS 2016):

Federal

FE = endangered under the ESA
 FT = threatened under the ESA
 FC = candidate species for listing under the ESA
 FSC = Federal sensitive, or species of concern
 FX = designated critical habitat under the ESA
 – = no status

State

SE = endangered under CESA
 ST = threatened under CESA
 SSC = CDFW Species of Special Concern
 – = no status

Source: Data compiled by Stillwater Sciences in 2016

Table 3. Special-status Wildlife Species Evaluated for Potential to Occur in the Project Area

Species Name	Legal Status ¹		Habitat Associations and Species Occurrences	Potential for Occurrence ²
	Federal	State		
Invertebrates				
Valley elderberry longhorn beetle <i>Desmocerus californicus dimorphus</i>	FT	–	Closely associated with blue elderberry (<i>Sambucus</i> sp.), which is an obligate host for the beetle larvae; occurrences along the Sacramento River.	Known to occur
Reptiles				
Giant garter snake <i>Thamnophis gigas</i>	FT	ST	Open water associated with marshes, sloughs, and irrigation/drainage ditches within the Central Valley; requires emergent herbaceous wetland vegetation, grassy banks, and openings in waterside vegetation, and higher elevation upland habitat. A historical occurrence is recorded from Laguna Creek (CDFW 2016), but species experts consider this record to be an error, and there is no reliable evidence of giant garter snake presence in the Upper Beach Lake area (E. Hansen, pers. comm., 2015).	Unlikely to occur
Northwestern pond turtle <i>Emys marmorata</i>	–	SSC	Permanent or nearly permanent water bodies with abundant vegetation and rocky or muddy bottoms in a variety of habitat types; also require basking sites such as logs, rocks, cattail mats, and exposed banks; documented in the levee improvements area and Upper Beach Lake area.	Known to occur
Birds				
California least tern <i>Sterna antillarum browni</i>	FE	SE	Typically found at coastal beaches, bays, estuaries, and other water bodies, but known to occur at several scattered inland sites, including very small numbers in some years at the Sacramento Regional WWTP (SRCSD 2014).	Could occur
Western snowy plover <i>Charadrius alexandrinus nivosus</i>	FT	–	Primarily a coastal species, but scattered inland breeding populations exist; CNDDDB occurrences of migrant individuals from several wastewater treatment facilities in the region.	Unlikely to occur
Greater sandhill crane <i>Grus canadensis tabida</i>	–	ST	Grasslands, moist croplands with stubble, and open, emergent wetlands; does not breed in the Central Valley but regularly occurs in the Sacramento Regional WWTP Bufferlands in September through March (SRCSD 2014).	Could occur
White-tailed kite <i>Elanus leucurus</i>	–	FP	Nests in woodlands and isolated trees and forages in grasslands, pasture, and agricultural fields; nests documented in the Woodlake area and adjacent to Sacramento Regional WWTP Bufferlands.	Known to occur
Swainson’s hawk <i>Buteo swainsoni</i>	–	ST	Nests in woodlands and scattered trees and forages in grasslands and agricultural fields; known to nest and forage in the vicinity of the project area, including potential woodland mitigation sites.	Known to occur

Table 3. Special-status Wildlife Species Evaluated for Potential to Occur in the Project Area

Species Name	Legal Status ¹		Habitat Associations and Species Occurrences	Potential for Occurrence ²
	Federal	State		
Northern harrier <i>Circus cyaneus</i>	–	SSC	Nests and forages in grasslands, agricultural fields, and marshes, mostly within dense patches of vegetation no CNDDDB occurrences in vicinity of project area, but this species is rarely documented in the CNDDDB.	Could occur
Western yellow-billed cuckoo <i>Coccyzus americanus occidentalis</i>	FT	SE	Riparian forest with dense deciduous trees and shrubs; migrant individuals are likely to pass through the area in transit to breeding sites along the Sacramento River north of Colusa.	Could occur
Burrowing owl <i>Athene cunicularia</i>	–	SSC	Nests and forages in grasslands, agricultural lands, open shrublands, and open woodlands with natural or artificial burrows or friable soils; known to occur near the Upper Beach Lake potential woodland mitigation area (SRCSD 2000).	Could occur
Bank swallow <i>Riparia riparia</i>	–	ST	Forages in a variety of habitats and nests in vertical banks or bluffs of suitable soil, typically adjacent to water; historical CNDDDB occurrences of nest colonies have been documented along the lower American River, but no documented occurrences along the Sacramento River in the vicinity of the project area.	Could occur
Purple martin <i>Progne subis</i>	–	SSC	Nests in bridges in the Sacramento urban area and forages in adjacent open habitats; nest colonies are documented in the CNDDDB, but no suitable nest sites are present in the project area or vicinity.	Could occur
Loggerhead shrike <i>Lanius ludovicianus</i>	–	SSC	Forages and nests in grasslands, shrublands, and open woodlands; no CNDDDB occurrences in the project area or vicinity, but this species is rarely documented in the CNDDDB.	Could occur
Least Bell's vireo <i>Vireo bellii pusillus</i>	FE	SE	Typically occurs in structurally diverse riparian habitat with dense shrub layer; the subspecies is largely extirpated from the Central Valley, but has recently been documented attempting to nest in the Yolo Bypass Wildlife Area, and a migrant individual has been observed in the Sacramento Regional WWTP Bufferlands (SRCSD 2014).	Could occur
Grasshopper sparrow <i>Ammodramus savannarum</i>	–	SSC	Nests and forages in grasslands, with a mix of grasses, forbs, and scattered shrubs, on rolling hills and lowland plains; CNDDDB occurrences in the project area and vicinity are limited to eastern Sacramento County.	Unlikely to occur
Song sparrow ("Modesto" population) <i>Melospiza melodia</i>	–	SSC	Nests and forages in emergent freshwater marsh and riparian scrub and woodland; several CNDDDB occurrences in the Upper Beach Lake area.	Could occur
Tricolored blackbird <i>Agelaius tricolor</i>	–	SE	Nests in freshwater marsh, riparian scrub, grain crops, and other dense, low vegetation and forages in grasslands and agricultural fields; CNDDDB nesting colony locations nearest to the project area are in the Natomas Basin and Yolo Bypass.	Unlikely to occur

Table 3. Special-status Wildlife Species Evaluated for Potential to Occur in the Project Area

Species Name	Legal Status ¹		Habitat Associations and Species Occurrences	Potential for Occurrence ²
	Federal	State		
Mammals				
Pallid bat <i>Antrozous pallidus</i>	–	SSC	Occurs in a wide variety of habitats and roosts in tree cavities and caves, as well as artificial sites (e.g., bridges and buildings); several historic and recent occurrences from Sacramento (County of Sacramento et al. 2010) and Yolo Counties.	Likely to occur
Western red bat <i>Lasiurus blossevillii</i>	–	SSC	Roosts solitarily in foliage of mature trees associated with woodland borders, rivers, and walnut orchards, especially in mature riparian corridors more than 164 feet wide; numerous historic and recent occurrences from Sacramento County (County of Sacramento et al. 2010).	Likely to occur
American badger <i>Taxidea taxus</i>	–	SSC	Arid, open grassland, shrubland, and woodland with soils suitable for burrowing; historic and recent CNDDDB occurrences from Sacramento County, but none closer to the project area than the former Mather Air Force Base.	Unlikely to occur

Notes: CNDDDB = California Natural Diversity Database; Sacramento Regional WWTP = Sacramento Regional Wastewater Treatment Plant; USFWS = U.S. Fish and Wildlife Service

¹ **Status Definitions:**

- FT = Federally listed as Threatened under the Federal Endangered Species Act
- FE = Federally listed as Endangered under the Federal Endangered Species Act
- ST = State-listed as Threatened under the California Endangered Species Act
- SE = State-listed as Endangered under the California Endangered Species Act
- FP = State fully protected
- SSC = State species of special concern
- = No status

² **Potential for Occurrence Definitions:**

- *No potential to occur*: Potentially suitable habitat is not present.
- *Unlikely to occur*: Potentially suitable habitat present but species unlikely to be present because of very restricted distribution.
- *Could occur*: Suitable habitat is available; however, there are few or no other indicators that the species may be present.
- *Likely to occur*: Habitat conditions, behavior of the species, known occurrences in the vicinity, or other factors indicate a relatively high likelihood that the species would occur.
- *Known to occur*: The species, or evidence of its presence, was observed during reconnaissance-level surveys or was reported by others.

Sources: CDFW 2016; CNDDDB 2016; County of Sacramento et al. 2010; SRCSD 2000, 2014; USFWS 2016a